


Consider the B-field a distance z from a current sheet (flowing in the $+x$ -direction) in the $z = 0$ plane. The B-field has:



- A. y -component only
- B. z -component only
- C. y and z -components
- D. x , y , and z -components
- E. Other

I will be in class on Wednesday.

A. Yup

B. Nope, hoss, I'll be out.

An infinite solenoid with surface current density K is oriented along the z -axis. To use Ampere's Law, we need to argue what we think $\mathbf{B}(\mathbf{r})$ depends on and which way it points.

For this solenoid, $\mathbf{B}(\mathbf{r}) =$


A. $B(z) \hat{z}$

B. $B(z) \hat{\phi}$

C. $B(s) \hat{z}$


D. $B(s) \hat{\phi}$

E. Something else?




An infinite solenoid with surface current density K is oriented along the z -axis. Apply Ampere's Law to the rectangular imaginary loop in the yz plane shown. What does this tell you about B_z , the z -component of the B-field outside the solenoid?

- A. B_z is constant outside
- B. B_z is zero outside
- C. B_z is not constant outside
- D. It tells you nothing about B_z




An infinite solenoid with surface current density K is oriented along the z -axis. Apply Ampere's Law to the rectangular imaginary loop in the yz plane shown. We can safely assume that $B(s \rightarrow \infty) = 0$. What does this tell you about the B-field outside the solenoid?

- A. $|\mathbf{B}|$ is a small non-zero constant outside
- B. $|\mathbf{B}|$ is zero outside
- C. $|\mathbf{B}|$ is not constant outside
- D. We still don't know anything about $|\mathbf{B}|$




What do we expect $\mathbf{B}(\mathbf{r})$ to look like for the infinite sheet of current shown below?

- A. $B(x)\hat{x}$
- B. $B(z)\hat{x}$
- C. $B(x)\hat{z}$
- D. $B(z)\hat{z}$
- E. Something else



Which Amperian loop are useful to learn about $B(x, y, z)$ somewhere?



E. More than 1